Page 1

Work Order ID 61884 Wednesday, September 08, 2010 3:28:15 PM

Item ID:

D4177-1

PRELIM

Revision ID: Item Name:

Radalt Guard Doubler

Start Date:

9/8/2010

Start Qty: 5.00

Req'd Qty: 5.00



Accept



Setup Start





Reference:

Approvals:

Required Date: 9/13/2010

Process Plan:

Date: 10-9-08

Tooling:

Date:

Cust Item ID:

Customer:

Tool ID

Code

Tool # Plan

Start



QC:

Date:

SPC (Y/N):

Set Up/

Run Hours

Date:

Stop

Reject

Qty

Run

Accept

Qty

Insp.

Stamp

Reject

Number

Operation Work Center ID Description Draw Nbr Revision Nbr PAI

D4177

Sequence ID/

100 

Waterjet

FLOW CNC Wateriet

Memo

1-Cut as per Dwg Dwg Rev: OA

Prog Rev: OAL

2-Deburr if necessary

0.00

0.00

B 10-9-13

110

QC

QC2- Inspect parts off machine FAI/FAIB

0.00

1310-9-13

Quality Control

Memo

0.00

## Work Order ID 61884

Wednesday, September 08, 2010 3:28:15 PM

Item ID:

D4177-1

Revision ID: Item Name:

PRELIM Radalt Guard Doubler

Start Date:

9/8/2010

Start Qty: 5.00

Required Date: 9/13/2010

Req'd Qty: 5.00



Accept



Setup Start



Cust Item ID:

Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/ Work Center ID

120

Quality Control

Operation Description

QC8- Inspect parts - second check

Memo

Set Up/ Run Hours Tool ID

Tool # Plan Code Accept

Qty

Reject Qty

Reject Insp. Number Stamp

inspectes to pay

130

HandFinish

Hand Finishing

Chemical Conversion Coat per QSI005 4.1

BR 10-9-14.

140

Powder Coating

Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3

14/11/588

Memo

Memo

Start Time: 2 4 3 3 7 0 6/= Oven Temperature: 3 7 0 6/=

0.00

0.00

2 H 10/09/15

## Work Order ID 61884

Wednesday, September 08, 2010 3:28:15 PM

Item ID:

D4177-1

Revision ID: Item Name:

PRELIM Radalt Guard Doubler

Start Date:

9/8/2010

Required Date: 9/13/2010

Start Qty: 5.00 Req'd Qty: 5.00

Operation

Description

Reference:

Approvals:

QC:

Process Plan:

Date:

Date:

SPC (Y/N):

Tooling:

Set Up/ Run Hours

0.00 - inspected to pai D-7 0- 14

Accept



Setup Start

Stop

Page 3

Cust Item ID:

Date:

Date:

Tool#

Plan

Code

Accept

Qty

Customer:

Tool ID

Run Start

Reject

Qty

Stop

Reject

Number

Insp.

Stamp

Sequence ID/ Work Center ID

150 

Quality Control

Memo

QC3- Inspect Part Finish

Siclostic

(x6)

160

Packaging

Packaging

Identify as per dwg & Stock Location:

Memo

0.00

0.00

ZT 10-10-01

170

Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

10/10/04 AS

POSITIVE RECALL

RELEASED

## **Picklist Print**

Wednesday, September 08, 2010 3:28:22 PM

Work Order ID: 61884

Parent Item:

D4177-1

Parent Item Name:

Radalt Guard Doubler



Start Date: 9/8/2010

Required Date: 9/13/2010

Start Qty: 5.00

Required Qty: 5.00

Comments:

IPP Rev:A 10.09.08 new issue verf:EC

Component Item ID/ Item Name

Replacement Mfg/ Item ID

Purch

Bin Primary Item Location

Last Location

Route Seq ID

100

Unit of Measure Hand

Qty on

Qty per Kit Qty

Qty Total Issued

Date Issued

Status

M6061T6S.063

Purchased

No

sf

104.9340

0.0625

0.328947

6061-T6 .063 Sheet

Location

MAT21

113608

104.934 104.934

Loc Qty


Loc Code

113668




1310-9-13

Page 1



DART AERO	SPACE LTD				Wor	Order:	618	P8	
Description:	RADAT GI	LARA POL	DIFE		Part	Number:	DHI	771	
Inspection Dwg: DAITH Rev: DAI								Page 1 of 1	
	FIDOT	ADTIOL E IA			<b>~</b> 1//				
	X	ARTICLE IN	Proto						
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Me	thod of ection	Cor	nments	
Ø 057	4.006-001	126	*		V	203			
- 500	4- 30	501	5		V				
. 1.00	4- 30	1,000	×		V				
1.35	4- 030	1.051	<b>*</b>	_	V				
6.00	4 02	6.001	X		V				
9.00	4 02	9,000	冷		r				
.063	4/ .010	663	`~		Y				
	_		Tr.						
	-								
	-								
		-							
			ļ			-			
						-		19-14-1-1-1-1	
								19	
		- 4				-	- 1		
						-			
							1		
Measured by:		Audited by:			Prototype Approval:			N/A	
Date:	10-9-13	Date:	10/05/13				Date:	N/A	
Rev Date	Change	inspector is	DAI Dry	only			sed by	Approved	
A	New Issue					KJ/J	_M		



0.063 REF

**D4177-1 RADALT GUARD DOUBLER** 

NOTES.

1) MATERIAL: 6061-T61/T62 ALUMINUM SHEET, 0.063 THICK PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209 REF. DART SPEC. M6061T6S.063

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED 4) UNITS: INCHES UNLESS OTHERWISE NOTED 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX 6) IDENTIFICATION: PER QSI 044 6.1

7) WEIGHT: 0.05 lbs

NEW ISSUE 10.09.03 A REV. DESCRIPTION BY DATE DESIGN DART AEROSPACE LTD DRAWN HAWKESBURY, ONTARIO, CANADA DRAWING NO. CHECKED REV. A D4177 MFG. APPR SHEET 1 OF 1 APPROVED TITLE SCALE RADALT GUARD DOUBLER DE APPR DATE 10.09.03

2